



# **Product Catalog (Part 1)**

**Threads, Fasteners & Grommets**

---

## **TO ORDER**

**Web:**

**[www.ddthreadsplus.com](http://www.ddthreadsplus.com)**

**Toll Free:**

**1-800-365-0691**

**Fax:**

**1-763-784-0175**

**Email:**

**[al@ddthreadsplus.com](mailto:al@ddthreadsplus.com)**

# D&D THREADS*plus*

<b>Threads</b> .....	<b>1-2</b>
<b>Fasteners</b> .....	<b>3-9</b>
<b>Grommets</b> .....	<b>10-12</b>





Starting at: **\$27.53**

Cotton Core Threads - Tex 120



Starting at: **\$22.44**

Cotton Core Threads - Tex 150



Starting at: **\$8.21**

Cotton Core Threads - Tex 35



Starting at: **\$21.45**

Nylon Threads – 138 Nylon Tex-135



Starting at: **\$9.15**

Cotton Core Threads - Tex 40



Starting at: **\$14.49**

Cotton Core Threads - Tex 60



Starting at: **\$22.45**

Monofilament Threads



Starting at: **\$23.90**

Nylon Threads – 46 Nylon Tex-45



Starting at: **\$42.93**

Nylon Prewound Bobbins #138 - Tex 135 - Black




Starting at: **\$39.98**

Nylon Prewound Bobbins #138 - Tex 135 - White



Starting at: **\$39.60**

Nylon Prewound Bobbins #69 - Tex 70 - Black



Starting at: **\$19.81**

Nylon Threads – 207 Nylon Tex-210



Starting at: **\$35.67**

Nylon Prewound Bobbins #69 - Tex 70 - White




Starting at: **\$42.60**

Nylon Prewound Bobbins #92 - Tex 90 - Black




Starting at: **\$40.13**

Nylon Prewound Bobbins #92 - Tex 90 - White




Starting at: **\$19.75**

Nylon Threads – 69 Nylon Tex-70




Starting at: **\$6.75**

Poly Core Threads - Tex 24




Starting at: **\$8.15**

Poly Core Threads - Tex 30




Starting at: **\$9.26**

Poly Core Threads - Tex 40



Starting at: **\$24.45**

Polyester Threads - 69 Poly Tex-70



Starting at: **\$15.60**

Poly Core Threads - Tex 60



Starting at: **\$55.95**

Poly Prewound Bobbins #138 - Tex 135 - Black



Starting at: **\$49.46**

Poly Prewound Bobbins #138 - Tex 135 - White



Starting at: **\$28.75**

Specialty Bobbin Threads - Style M - 56/box



Starting at: **\$40.43**

Poly Prewound Bobbins #69 - Tex 70 - Black



Starting at: **\$37.13**

Poly Prewound Bobbins #69 - Tex 70 - White



Starting at: **\$44.70**

Poly Prewound Bobbins #92 - Tex 90 - Black



Starting at: **\$24.77**

Specialty Threads - 16 oz. Cone



Starting at: **\$39.81**

Poly Prewound Bobbins #92 - Tex 90 - White




Starting at: **\$21.90**

Polyester Threads - 138 Poly Tex-135



Starting at: **\$18.75**

Polyester Threads - 207 Poly Tex-210



Starting at: **\$29.25**

Specialty Bobbin Threads - Style U - 42/box




### PREMIUM SNAP FASTENERS

Our caps are designed with a unique window cutout that is folded under the post in order to minimize dimpling of the cap.

D&D also offers caps with a stainless steel post to eliminate the need for pre-piercing tough fabrics or leathers.


All of the following are 24 ligne caps.

	CAPS					
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Brass Post w/Black Plastic Cap	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
Standard Post 3/16"		BN4647AR	BB4647AR	BG4647AR	BPB7047A	SN4647AR
Standard Stainless Steel Post 3/16"	SS4650AR	BNS4647AR**	BBS4647AR	BGS4647AR*		
Long Post 1/4"		BN4647LAR	BB4647LAR	BG4647LAR	BPB4647LA	SN4647LAR
Long Stainless Steel Post 1/4"	SS4650LAR	BNS4647LAR	BBS4647LAR	BGS4647LAR*		
Extra Long Post 5/16"		BN4647LLAR	BB4647LLAR	BG4647LLAR		

\*\* Available with baked automotive enamel finish in a wide variety of standard and custom colors.


\* Denotes non-stock items which may have minimum purchase requirements.

D&D's standard action sockets are made with nickel plated brass springs for corrosion resistance. Our hard action brass sockets are made with phosphor bronze springs that have been copper/nickel/chrome plated for maximum corrosion resistance.

	SOCKETS				
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Standard Spring	SS4650B	BN4647B	BB4647B	BG4647B	SN4647B
Easy Action Spring		BN4647EB	BB4647EB*	BG4647EB*	SN7050B
Hard Action Spring	SS4650HB	BN4647HB	BB4647HB	BG4647HB	SN4647HB


\* Denotes non-stock items which may have minimum purchase requirements.

D&D offers both standard and hard action studs. They are available with either an elevated base, for use with eyelets on fabric applications, or with a low base, for use when attaching a stud with rivets or screws.

	STUDS				
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Standard Action Stud	SS4650C	BN4647C	BB4647C	BG4647C	SN4647C
Low Base Stud		BN4647SC	BB4647SC*	BG4647SC*	SN4647SC
Hard Action, Low Base Stud		BN4647SCH	BB4647SCH*	BG4647SCH*	

\* Denotes non-stock items which may have minimum purchase requirements.


Used when attaching either a stud or a socket, our eyelets are available in three different lengths for material of varying thickness. For tough material applications, D&D offers stainless steel eyelets that can easily pierce Kevlar®, Cordura®, and nylon webbing.

	EYELETS				
	Stainless Steel	Brass/Nickel	Brass/Black Oxide	Brass/Gilt	Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Standard Eyelet 1/4"	SS4647D	BN4647D	BB4647D	BG4647D	SN4647D
Long Eyelet 11/32"		BN4647LD	BB4647LD	BG4647LD	SN4647LD*
Extra Long Eyelet 3/8"		BN4647LLD	BB4647LLD	BG4647LLD*	


\* Denotes non-stock items which may have minimum purchase requirements.



D&D flangeless studs are commonly found on convertible automobiles, specially designed fastening clips or in marine applications. Our flangeless studs offer a low profile stud that can be attached with a screw, rivet or eyelet.




	FLANGELESS STUDS				
	Brass/Nickel				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Flangeless Stud	BN4647FLC				
Rivet type Flangeless Stud with .020-.087" Grip Range	RIV10314				
Rivet type Flangeless Stud with .188-.375" Grip Range	RIV10319				

Gypsy studs are frequently referred to as "double studs" because of the ability to join the stud fastener to another stud or socket. They are generally used to connect two or more fabrics together.



	GYPSY STUDS				
	Brass/Nickel			Brass/Black Oxide	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Double Stud with 7/32" Brass Eyelet	BNP232NBS			BBP232NBS*	
Double Stud with 1/4" Brass Eyelet	BNP232NB			BBP232NB	
Double Stud with 11/32" Brass Eyelet	BNP232NBL			BBP232NBL*	
Double Stud with 11/32" Stainless Steel Eyelet				BBP232SS	


\* Denotes non-stock items which may have minimum purchase requirements.

D&D maintains an extensive inventory of screwstuds in different materials, styles, and lengths for use in a variety of applications. For applications requiring a specially designed screwstud, please contact us for our minimum order quantities. All screwstuds have a #2 Philips drive with a #8-18 screw unless otherwise specified.



	SELF-TAPPING SHEETMETAL SCREWSTUDS					6 Lobe Drive 	6 Lobe Drive 
	100% Stainless Steel	Brass/Nickel Stud w/ Stainless Steel Screw	Brass/Nickel Stud w/Steel Screw	Steel/Nickel Stud w/Steel Screw	Steel/Black Oxide Stud w/ Steel Screw	Brass/Black Oxide Stud w/ Steel Screw	Brass/Nickel Stud w/Steel Screw
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
5/16"		BNSS705912				BB704912*	
3/8"	SSSS705914	BNSS705914	BN705914	SN705914	SB705914		
1/2"		BNSS705916				BB704916*	
5/8"	SSSS705920	BNSS705920	BN705920	SN705920		BB704920*	BNY704920*
7/8"						BB704928*	
1"		BNSS705932		SN705932			
5/8" Oversized #10		BNSS705921					


\* Screwstuds have a T-20 6-lobe drive.

		SELF-TAPPING SHEETMETAL SCREWSTUDS				
		100% Stainless Steel			Brass/Nickel Stud w/Stainless Steel Screw	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
3/8" Square Drive (Robertson)	SSSQ705914					
5/8" Square Drive (Robertson)				BNSQ705920		


	SCREWSTUD WASHER				
	Nylon				
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Screwstud Reinforcement Washer	WSH7059				




		SELF-DRILLING SCREWSTUDS				
		100% Stainless Steel	Brass/Nickel Stud	Steel/Nickel Stud	6 Lobe Drive 	Steel/Nickel Stud
SIZE • DESCRIPTION		PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1/2" Stainless Steel Screw		SSST705916	BNST705916			
3/4" Stainless Steel Screw			BNST705924			
3/4" Steel/Zinc Plated Screw				SN7049T24		SN7059T24
1" Steel/Zinc Plated Screw				SN7049T32		SN7059T32
1/2" Hardened SUS410 Stainless Steel Screw			BHST705916			
1-1/2" Steel/Zinc Plated Screw				SN7049T48		SN7059T48

		MACHINE SCREWSTUDS				
		Stainless Steel Stud			Brass/Nickel Stud	
SIZE • DESCRIPTION		PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
8-32x3/16" Stainless Steel Screw		SSSS705806-HY				
10-32x3/8" Brass Screw w/Flangeless Stud					BNB705614	
8-32x3/8" Stainless Steel Screw		SSSS705814*				BNSS705814
8-32x1/2" Stainless Steel Screw		SSSS705816				BNSS705816
8-32x5/8" Stainless Steel Screw		SSSS705820*				BNSS705820


\* Denotes non-stock items which may have minimum purchase requirements.

		DRYWALL SCREWSTUDS				
		Brass/Nickel Stud				
SIZE • DESCRIPTION		PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
3/8" Stainless Steel Screw					BNSS704714	
5/8" Stainless Steel Screw					BNSS704720	
1" Stainless Steel Screw					BNSS704732	

For use in marine and automotive applications, our windshield clips are 100% stainless steel and are available with varying tensions.

		WINDSHIELD CLIPS				
		Stainless Steel				
SIZE • DESCRIPTION		PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
.500" clip width (internal fit)					CLIP12WSCF	
.748" clip width (appx. 3/4")					CLIP34WSTT	
.754" clip width (appx. 3/4")					CLIP34WST	
.760" clip width (appx. 3/4")					CLIP34WSD	
.770" clip width (appx. 3/4")					CLIP34WSTN	
.875" clip width (appx. 7/8")					CLIP78WS	
.875" clip width (appx. 7/8")					CLIP78WS-A	
.875" clip width (7/8" long leg)					CLIP78WS-L	


D&D introduces its FAS-N-STIK snap components for industrial users. Unlike conventional metal screw studs used in many marine and related applications, this product will not snag clothing or deteriorate from exposure to sunlight, sand or grit.

		FAS-N-STIK			
		SIZE	COLOR	Stainless Steel Stud	Plastic Stud
		PART NUMBER			
25mm (1")		Grey	AB5300CN*		
40mm (1 9/16")		White		AB5100C*	


\* Other colors available. Socket version available.



This smaller snap fastener line offers a trimmer looking, less aggressive snap, and is available in three finishes. All of the following are 20 ligne snaps.

	BABY FASTENERS						
	Brass/Nickel		Brass/Black Oxide		Brass/Gilt		Steel/Nickel
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Cap, Standard Post 9/64"	BND7201A13	BBD7201A13	BGD7201A13	BND7201A13		SND7201A13	
Socket	BND7201B	BBD7201B	BGD7201B	BND7201B		SND7201B	
Socket, Hard Action	BND7201HB	BBD7201HB	BGD7201HB	BND7201HB		SND7201HB	
Stud	BND7201C	BBD7201C	BGD7201C	BND7201C		SND7201C	
Stud, Hard Action	BND7201SC	BBD7201SC	BGD7201SC	BND7201SC		SND7201SC	
Eyelet 7/32"	BND7201D	BBD7201D	BGD7201D	BND7201D		SND7201D	


The parallel spring fastener provides smooth consistent snap action that ensures maximum performance in harsh environments. Our parallel spring socket has a unique concealed spring design that offers long-term reliability.

	PARALLEL SPRING SNAP FASTENERS					
	Brass/Nickel		Brass/Black Oxide		Brass/Gilt	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Ligne 20 Cap	BNPS6HA20	BBPS6HA20	BGPS6HA20	BNPS6HA20		
Ligne 20 Cap Long Barrel	BNPS6HLA20	BBPS6HLA20*	BGPS6HLA20*	BNPS6HLA20		
Ligne 24 Cap	BNPS6HA24	BBPS6HA24	BGPS6HA24	BNPS6HA24		
Ligne 24 Cap Long Barrel	BNPS6HLA24	BBPS6HLA24*	BGPS6HLA24*	BNPS6HLA24		
Socket	BNPS6HB	BBPS6HB	BGPS6HB	BNPS6HB		
Stud	BNPS6HC	BBPS6HC	BGPS6HC	BNPS6HC		
Eyelet	BNPS6HD	BBPS6HD	BGPS6HD	BNPS6HD		

\* Denotes non-stock items which may have minimum purchase requirements.

## SNAP FASTENERS

These snap fasteners are a high quality, cost-effective fastener for products such as: outdoor furniture, luggage, sports bags, and light-duty automotive trim.


	STANDARD					
	Brass/Nickel			Brass/Black		
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
Cap Standard Post 3/16"	BN7047AR			BB7047AR		
Cap Long Post 1/4"	BN7047LAR			BB7047LAR		
Socket, Standard Action	BN7047B			BB7047B		
Socket, Hard Action	BN7047HB			BB7047HB		
Stud	BN7047C			BB7047C		
Stud, Low Base	BN7047SC			BB7047SC		
Eyelet 1/4"	BN7047D			BB7047D		
Eyelet, Long 11/32"	BN7047LD*			BB7047LD*		

\* Denotes non-stock items which may have minimum purchase requirements.




# COLOR & FINISH

D&D Thread brand color caps are available with either four durable layers of baked automotive enamel or a matte finish, and most are available with a stainless steel post. Our color caps are UV stabilized, can be dry cleaned and are scratch and chip resistant. We maintain inventory on 32 colors or we can provide special colors with minimum requirements.



\*\* Available with long post.  
\* Available in urethane with long post only.



Ask us about our full line of solutions designed to economically resolve assembly requirements.





# DIRECTIONAL FASTENERS

D&D premium brand turn fasteners have superior locking action that prevents undesired opening of the fastener. The majority of our turn fasteners feature a stainless steel pin and spring, which provides maximum corrosion resistance and promotes extended product life.

<b>PREMIUM TURN FASTENERS</b>				
		Brass/Nickel	Plastic	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	
Single Stud, 2 Screw Mounted Stainless Steel Pin and Spring	AT M-4665-1			
Double Stud, 2 Screw Mounted Stainless Steel Pin and Spring	AT M-4665-2			
Single Stud, 2 Prong w/Clinch Plate	AT M-15			
Single Stud, 4 Prong w/Clinch Plate	AT M-10			
Single Stud, Rivet Type w/Washer, Stainless Steel Pin and Spring	AT M-2M-SSW			
4 Prong Eyelet w/Washer*	AT M-2B-EW			
4-Prong Eyelet w/4-hole Washer*	AT M-2B-4HW			
Plastic Flex Washer for 4-Prong Eyelet			AT 2B-WSHR-PL	

\* Denotes eyelets and washers may be purchased seperately.


<b>STANDARD TURN FASTENERS</b>					
		Brass/Nickel	Black Oxide	Plastic	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER		
Single Stud, 2 Screw Mounted	AT S-46651	AT S-46651-B			
Double Stud, 2 Screw Mounted	AT S-46652	AT S-46652-B			
Single Stud w/#12 5/8" Steel Screw	AT S-6CD-S-12S				
Single Stud w/#7 5/8" Brass Screw	AT S-6M-S-7B				
Single Stud, Rivet Type	AT S-2M-S				
Washer for AT S-2M-S	AT S-2M-W				
Single Stud, 2 Prong, Stud Only	AT S-15-S	AT S-15-S-B			
Clinch Plate Only for AT S-15-S	AT S-15-W	AT S-15-W-B			
4-Prong Eyelet	AT S-2B-E	AT S-2B-E-B			
Long 4-Prong Eyelet	AT S-2B-LE				
Washer for 4-Prong Eyelet	AT S-2B-W	AT S-2B-W-B			
4-Hole Washer for 4-Prong Eyelet	AT S-2B-4HW				
Plastic Flex Washer for 4-Prong Eyelet			AT 2B-WSHR-PL		

D&D directional locking fasteners are non-corrosive and well-suited for outdoor applications. This line features a nylon stud which can be mounted with a screw or attached to fabric using a standard eyelet, a stainless steel cap which self-pierces most fabric materials and a plastic socket.

<b>SNAPFAST®</b>						
		Black Plastic	White Plastic	Stainless Steel	Black Oxide	
SIZE • DESCRIPTION	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
Pronged Cap				SNPFSTA	SNPFSTAB	
Long Prong Cap				SNPFSTLA	SNPFSTLAB	
Socket	SNPFSTB	SNPFSTBW				
Stud	SNPFSTC	SNPFSTCW				



D&D One-Way-Lift® directional locking fasteners can be used with a variety of studs. One-Way-Lift® fasteners lock on three sides and are opened by lifting the fourth side.





			<b>ONE-WAY-LIFT® SOCKETS</b>		
					
			 Brass/Nickel  Brass/Black Oxide  Plastic		
	<b>SIZE • DESCRIPTION</b>		PART NUMBER	PART NUMBER	PART NUMBER
	Socket		LDBN16205	LDBB16205	
	Socket, Long Prong		LDBN16206	LDBB16206	
	Clinch Plate for 16205 and 16206		LDBN16506	LDBB16506	
Plastic Flex Washer for 16205 and 16206				LDPL16510	
Covered Socket/Clinch Plate		BN7150B			
	<b>SIZE • DESCRIPTION</b>		<b>ONE-WAY-LIFT® STUDS</b>		
			 Brass/Nickel  Brass/Black Oxide		
			PART NUMBER	PART NUMBER	PART NUMBER
	Stud w/2 Prong Base		LDBN16349		LDBB16349
	Washer for LDBN16349		LDBN16501		LDBB16501
	Stud w/Eyelet Base		LDBN16358		LDBB16358
	Washer for 16358		LDBN16509		LDBB16509
2 Screw Mount Stud		LDBN16347			
	<b>SIZE • DESCRIPTION</b>		<b>ONE-WAY-LIFT® SCREWSTUDS</b>		
			 Brass/Nickel		
			PART NUMBER	PART NUMBER	PART NUMBER
	Screwstud #8 x 3/8" Stainless Steel Self-Tapping Screw			LDBN163604	
	Screwstud #8 x 1/2" Stainless Steel Self-Tapping Screw			LDBN163606	
	Screwstud #8 x 5/8" Stainless Steel Self-Tapping Screw			LDBN163607	
	Screwstud #8 x 5/8" Steel Self-Tapping Screw w/chromate dip			LDBN163667	
Screwstud 8-32 x 3/8" Stainless Steel Machine Screw			LDBN163624		
Screwstud 8-32 x 5/8" Stainless Steel Machine Screw			LDBN163627		
	<b>SIZE • DESCRIPTION</b>		<b>ONE-WAY-LIFT® WINDSHIELD CLIPS</b>		
			 Brass/Nickel		
			PART NUMBER	PART NUMBER	PART NUMBER
	3/4" Windshield Clip			LDBN16376	
7/8" Windshield Clip			LDBN16377		
			<b>ONE-WAY-PULL® FASTENERS</b>		
			 Brass/Nickel  Brass/Black Oxide		
	<b>SIZE • DESCRIPTION</b>		PART NUMBER	PART NUMBER	PART NUMBER
	Cap 11/64"		PDBN18100		PDBB18100
	Cap 1/4"		PDBN18100L		PDBB18100L
	Socket		PDBN18201		PDBB18201
	Stud		PDBN18303		PDBB18303
	Standard Eyelet 1/4"		BN4647D		BB4647D
	Long Eyelet 5/16"		BN4647LD		BB4647LD
	3/8" Screwstud w/Stainless Steel Screw		PDBN183074		PDBB183074
5/8" Screwstud w/Stainless Steel Screw		PDBN183075		PDBB183075*	

\* Denotes non-stock items which may have minimum purchase requirements.








# GROMMETS AND WASHERS



D&D premium self-piercing grommets are manufactured with a sharpened edge for superior piercing ability. The washers are made with a patented design that incorporates small teeth and a channel to prevent slipping and provide extra holding force.

 <b>GRIPPING TEETH</b>  <b>LOCKING CHANNEL</b>		PREMIUM SELF-PIERCING AND WASHERS				
		Stainless Steel 		Brass Sharpened 		Brass/Nickel Sharpened 
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	1/4"	9/16"	GRMWSH210SS		GRMGWS210B	GRMGWS210N
#1	5/16"	5/8"	GRMWSH230SS		GRMGWS230B	GRMGWS230N
#2	3/8"	3/4"	GRMWSH250SS		GRMGWS250B	GRMGWS250N
#3	7/16"	15/16"			GRMGWS280B	GRMGWS280N
#4	5/8"	1-1/8"			GRMGWS300B	GRMGWS300N




Our self-piercing grommets, used in conjunction with D&D exclusive washer design, eliminates the need to pre-punch a hole. Grommets are set in a single action.

 		SELF-PIERCING GROMMETS AND WASHERS				
		Brass 		Brass/Nickel 		Brass/Black Nickel 
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	1/4"	9/16"	GRMWSH210B		GRMWSH210N	GRMWSH210HBK
#1	5/16"	5/8"	GRMWSH230B		GRMWSH230N	GRMWSH230HBK
#2	3/8"	3/4"	GRMWSH250B		GRMWSH250N	GRMWSH250HBK
#2 LONG BARREL	3/8"	3/4"	GRMLWS250B		GRMLWS250N	

Designed to withstand the harshest environments, our stainless steel self-piercing rolled rim grommets with spur washers are the best product available for corrosive applications. These grommets can be installed through several layers of tough material and can be attached with hand dies in low volume situations.


		STAINLESS STEEL SELF-PIERCING ROLLED RIM GROMMETS WITH SPUR WASHERS				
		Stainless Steel 				
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	
#0	1/4"	5/8"			GRMWSPUR0SS	
#1	5/16"	13/16"			GRMWSPUR1SS	
#2	3/8"	13/16"			GRMWSPUR2SS	
#3	7/16"	7/8"			GRMWSPUR3SS	
#4	1/2"	1-1/16"			GRMWSPUR4SS	
#5	5/8"	1-1/16"			GRMWSPUR5SS	

Our heavy-duty self-piercing rolled rim grommets with spur washers are designed for use in heavy stress applications. Commonly found on tarps and awnings, these grommets save time and labor by setting in one easy step.

		BRASS SELF-PIERCING ROLLED RIM GROMMETS WITH SPUR WASHERS				
		Brass 		Brass/Nickel 		
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	
#00	11/64"	9/16"	GRMWSPUR0			
#0	9/32"	11/16"	GRMWSPUR0		GRMWSPUR0N	
#1	3/8"	3/4"	GRMWSPUR1		GRMWSPUR1N	
#2	7/16"	7/8"	GRMWSPUR2		GRMWSPUR2N	
#4	9/16"	1-1/8"	GRMWSPUR4		GRMWSPUR4N	




D&D self-piercing eyelets are easily installed in Nomex®, plastic, leather, fabric, and paper. These eyelets create a reinforced hole and provide a finished appearance.

SELF-PIERCING EYELETS AND WASHERS						
	I.D.	O.D.	Brass		Brass/Nickel	
			PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
			9/64"	17/64"	GRMSE200B	
11/64"	23/64"	GRMSE300B		GRMSE300N		
13/64"	27/64"	GRMSE400B		GRMSE400N		
15/64"	29/64"	GRMSE500B		GRMSE500N		


D&D rolled rim grommets with spur washers can be automatically fed using our grommeting equipment or similar machinery.

	ROLLED RIM GROMMETS WITH SPUR WASHERS			
	Brass	Brass/Nickel	Brass/Black Oxide	Stainless Steel

GROMMETS		GROMMETS		GROMMETS		GROMMETS		GROMMETS	
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	9/32"	.670	GRM OGR-BBR	GRM OGR-BNI	GRM OGR-BBX	GRM OGR-SS			
#0L	9/32"	.670					GRM OGRL-SS		
#1	13/32"	.790	GRM 1GR-BBR	GRM 1GR-BNI	GRM 1GR-BBX				
#2	7/16"	.882	GRM 2GR-BBR	GRM 2GR-BNI	GRM 2GR-BBX				
#3	15/32"	.970	GRM 3GR-BBR	GRM 3GR-BNI	GRM 3GR-BBX				
#4	9/16"	1.122	GRM 4GR-BBR	GRM 4GR-BNI	GRM 4GR-BBX				
#5.5	11/16"	1.250	GRM 32GR-BBR	GRM 32GR-BNI	GRM 32GR-BBX				

	WASHERS			
	Brass	Brass/Nickel	Brass/Black Oxide	Stainless Steel

WASHERS		WASHERS		WASHERS		WASHERS		WASHERS	
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
#0	.345	.645	GRM OWS-BBR	GRM OWS-BNI	GRM OWS-BBX	GRM OWS-SS			
#1	.455	.790	GRM 1WS-BBR	GRM 1WS-BNI	GRM 1WS-BBX				
#2	.512	.880	GRM 2WS-BBR	GRM 2WS-BNI	GRM 2WS-BBX				
#3	.537	.970	GRM 3WS-BBR	GRM 3WS-BNI	GRM 3WS-BBX				
#4	.645	1.122	GRM 4WS-BBR	GRM 4WS-BNI	GRM 4WS-BBX				
#5.5	.730	1.233	GRM 32WS-BBR	GRM 32WS-BNI	GRM 32WS-BBX				



















**SECURE  
YOUR  
FASTENERS  
BECAUSE ITS  
WORTH IT**

**D&D THREADSplus+**



D&D sheet metal grommets with assorted washers can be automatically fed using our grommeting equipment or similar machinery.

			SHEET METAL GROMMET					
			Brass 		Brass/Nickel 		Brass/Black Oxide 	
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
#0	1/4"	.545	GRMSM0B		GRMSM0N		GRMSM0BBX	
#1	5/16"	.687	GRMSM1B		GRMSM1N		GRMSM1BBX	
#2	3/8"	.815	GRMSM2B		GRMSM2N		GRMSM2BBX	
#3	7/16"	.970	GRMSM3B		GRMSM3N		GRMSM3BBX	
#4	1/2"	1.233	GRMSM4B		GRMSM4N		GRMSM4BBX	
			PLAIN WASHERS					
			Brass 		Brass/Nickel 		Brass/Black Oxide 	
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
#0	.289	.546	GRMPW0B		GRMPW0N		GRMPW0BBX	
#1	.359	.700	GRMPW1B		GRMPW1N		GRMPW1BBX	
#2	.453	.835	GRMPW2B		GRMPW2N		GRMPW2BBX	
#3	.530	.955	GRMPW3B		GRMPW3N		GRMPW3BBX	
#4	.585	1.062	GRMPW4B		GRMPW4N		GRMPW4BBX	
			TEETH WASHERS					
			Brass 		Brass/Nickel 		Brass/Black Oxide 	
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
#0	.290	.570	GRPTW0B		GRPTW0N		GRPTW0BBX	
#1	.350	.680	GRPTW1B		GRPTW1N		GRPTW1BBX	
#2	.468	.840	GRPTW2B		GRPTW2N		GRPTW2BBX	
#3	.545	.945	GRPTW3B		GRPTW3N		GRPTW3BBX	
#4	.593	1.050	GRPTW4B		GRPTW4N		GRPTW4BBX	
			NECK WASHERS					
			Brass 		Brass/Nickel 		Brass/Black Oxide 	
SIZE	I.D.	O.D.	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
#0	.294	.531	GRMNW0B		GRMNW0N		GRMNW0BBX	
#1	.355	.705	GRMNW1B		GRMNW1N		GRMNW1BBX	
#2	.429	.840	GRMNW2B		GRMNW2N		GRMNW2BBX	
#3	.505	.945	GRMNW3B		GRMNW3N		GRMNW3BBX	
#4	.569	1.050	GRMNW4B		GRMNW4N		GRMNW4BBX	

**D&D THREADSplus+**

**Taking your business in new directions**

